CEREAL CHEMISTRY®

Author Index to Volume 86

Page numbers of errata are in italic.

Abdel-Aal, E. M. *See* D. Gray, 669
Agama-Acevedo, E. *See* L. A. Bello-Pérez, 701
Ahmad, R. *See* M. A. Fitzgerald, 492, *714*
Allen, W. B. *See* G. Spielbauer, 556
Alvarez-Jubete, L., M. Holse, Å. Hansen, E. K. Arendt, and E. Gallagher. Impact of baking on vitamin E content of pseudocereals amaranth, quinoa, and buckwheat, 511
Amorim, S. *See* C. E. Mendes da Silva, 136
Anders, M. *See* R. J. Bryant, 405
Anderson, M. J. *See* D. W. Hatcher, 452
Andrews, L. *See* M. Kweon, 221
Arendt, E. K. *See* L. Alvarez-Jubete, 511
Arjona, J. L. *See* I. Rojas-Molina, 516
Armstrong, P. *See* G. Spielbauer, 556
Arndt, E. A. *See* M. B. Omary, 565
——. *See* N. Prasopsunwattana, 439
Ashida, K., S. Iida, and T. Yasui. Morphological, physical, and chemical properties of grain and flour from chalky rice mutants, 225

Baenziger, P. S. *See* F. E. Dowell, 527
Baier, J. W. *See* G. Spielbauer, 556
Baik, B.-K. *See* S. J. Park, 646
Bao, J. *See* L. Jin, 609
Bassinello, P. Z. *See* M. A. Fitzgerald, 492, *714*
Bean, S. R. *See* R. C. Kaufman, 369
——. *See* T. J. Schober, 117
——. *See* R. Zhao, 145
Belefant-Miller, H. Induced postharvest yellowing in southern U.S. rice cultivars, 67
Bellido, G. G. *See* D. W. Hatcher, 452
Bello-Pérez, L. A., S. L. Rodríguez-Ambriz, E. Agama-Acevedo, and M. M. Sanchez-Rivera. Solubilization effects on molecular weights of amylose and amylopectins of normal maize and barley starches, 701
Belyea, R. L. *See* K. D. Rausch, 434
Bergenståhl, B. *See* T. Immerstrand, 601
Berghofer, E. *See* J. Schmidt, 398
Bergman, C. J. *See* M. A. Fitzgerald, 492, *714*
Berthiller, F. *See* M. Wiwart, 52, *486*
Berzonsky, W. A. *See* F. E. Dowell, 251
Bett-Garber, K. L. *See* E. T. Champagne, 274
Bettge, A. D. *See* S. Li, 88
Bhadra, R., K. Muthukumarappan, and K. A. Rosentrater. Flowability properties of commercial distillers dried grains with solubles (DDGS), 170
——, K. A. Rosentrater, and K. Muthukumarappan. Cross-sectional staining and surface properties of DDGS particles and their influence on flowability, 410
Bindzus, W. *See* L. Moreau, 232
Biswas, A. *See* G. E. Inglett, 661
Blanco, P. *See* M. A. Fitzgerald, 492, *714*
Bottega, G. *See* M. Lucisano, 542
Brijs, K. *See* H. Mokrane, 487
Bryant, R. J., M. Anders, and A. M. McClung. Effect of cultural management practices on grain quality of two rice cultivars, 405
Budde, A. D. *See* M. R. Schmidt, 33
Bulawayo, B. B. *See* G. Mokhawa, 575
Burns, J. W. *See* C. F. Morris, 307
Busko, M. *See* M. Wiwart, 52, *486*
Byars, J. A., G. F. Fanta, and F. C. Felker. Rheological properties of dispersions of spherulites from jet-cooked high-amylose corn starch and fatty acids, 76

Campos-Solís, L. *See* I. Rojas-Molina, 516
Carver, B. *See* Y. Chen, 96
Castaño-Tostado, E. *See* C. L. Medina-Rodríguez, 127
Champagne, E. T., K. L. Bett-Garber, J. L. Thomson, and M. A. Fitzgerald. Unraveling the impact of nitrogen nutrition on cooked rice flavor and texture, 274
Chang, Y. K. *See* G. Vernaza, 302
Chapman, M. H. *See* T. S. Kahlon, 329
Chen, D. *See* G. E. Inglett, 1, 661
Chen, L. *See* X. Liu, 383
Chen, M.-H. *See* M. A. Fitzgerald, 492, *714*
Chen, R. Y., B. W. Seabourn, F. Xie, and T. J. Herald. A modified extensigraph method for evaluating dough properties of hard wheat breeding lines, 582
Chen, Y., N. T. Dunford, J. Edwards, B. Carver, and C. Goad. Genotype and environment affect phytosterol content and composition of wheat, 96
Chiremba, C., J. R. N. Taylor, and K. G. Duodu. Phenolic content, antioxidant activity, and consumer acceptability of sorghum cookies, 590
Chiu, M. M. *See* T. S. Kahlon, 329
Cho, M. J., R. Morawicki, and C. Guerra. Ability of near-infrared spectroscopy to predict solid loss, volumetric expansion, and water uptake of cooked rice, 113
Chongcham, S. *See* N. Prasopsunwattana, 439
Clarke, J. M. *See* D. W. Hatcher, 452
Clementson, C., K. E. Ileleji, and R. L. Stroshine. Particle segregation within a pile of bulk distillers dried grains with solubles (DDGS) and variability of nutrient content, 267
Cooke, P. H. *See* N. Prasopsunwattana, 439
Copeland, L. *See* Y. Mak, 281
Cornejo, A. *See* I. Rojas-Molina, 516
Cortés-Álvarez, M. *See* I. Rojas-Molina, 516
Cortez, G. *See* C. M. Rosell, 386
Corzo, A. *See* R. Srinivasan, 393
Courtin, C. M. *See* H. Mokrane, 487
Cuevas-Rodríguez, E., C. Reyes-Moreno, S. R. Eckhoff, and J. Milán-Carrillo. Nixtamalized instant flour from corn (*Zea mays* L.) meal: Optimization of nixtamalization conditions, 7
Cui, S. *See* T. Immerstrand, 601
Cummins, E. *See* U. Tiwari, 290

da Fonseca, M. V. *See* C. E. Mendes da Silva, 136
Dai, Z., Y. Yin, and Z. Wang. Starch granule size distribution from seven wheat cultivars under different water regimes, 82
Das, S. *See* M. A. Fitzgerald, 492, *714*
de Medeiros, M. M. L. *See* C. E. Mendes da Silva, 136
de Morais, S. M. *See* C. E. Mendes da Silva, 136
Delcour, J. A. *See* H. Mokrane, 487
Delwiche, S. R. *See* F. E. Dowell, 251
Dexter, J. E. *See* D. W. Hatcher, 106, 452
Dipiti, S. S. *See* M. A. Fitzgerald, 492, *714*
Dlamini, N. R., L. Dykes, L. W. Rooney, R. D. Waniska, and J. R. N. Taylor. Condensed tannins in traditional wet-cooked and modern extrusion-cooked sorghum porridges, 191
Doehlert, D. C., J.-B. Ohm, M. S. McMullen, and N. R. Riveland. Theoretical and empirical relationships between oat test weight and groat proportion, 239
——, D. P. Wiesenborn, M. S. McMullen, J.-B. Ohm, and N. R. Riveland. Effects of impact dehuller rotor speed on dehulling characteristics of diverse oat genotypes grown in different environments, 653
Dowell, F. E., E. B. Maghirang, and P. S. Baenziger. Automated single-kernel sorting to select for quality traits in wheat breeding lines, 527
——, ——, R. A. Graybosch, W. A. Berzonsky, and S. R. Delwiche. Selecting and sorting waxy wheat kernels using near-infrared spectroscopy, 251
Dubat, A. *See* H. Koksel, 522
Dunford, N. T. *See* Y. Chen, 96
Duodu, K. G. *See* C. Chiremba, 590
Dykes, L. *See* N. R. Dlamini, 191

Eckhoff, S. R. *See* E. O. Cuevas-Rodríguez, 7
Edwards, J. *See* Y. Chen, 96
Elago, O. *See* M. T. Labuschagne, 61
Engelsen, M. M., and Å. Hansen. Tocopherol and tocotrienol content in commercial wheat mill streams, 499
Engelsen, S. B. *See* E. Tønning, 706
Engle, D. A. *See* C. F. Morris, 307
Ezeogu, L. I. *See* G. Mokhawa, 575

Fanta, G. F. *See* J. A. Byars, 76
Faubion, J. M. *See* J. Yoo, 122
——. *See* S. M. Finnie, 637
Felker, F. C. *See* J. A. Byars, 76
Ferrero, C. *See* N. E. Linlaud, 376
Figueroa, J. D. C., T. Maucher, W. Reule, and R. J. Peña. Influence of high molecular weight glutenins on viscoelastic properties of intact wheat kernel and relation to functional properties of wheat dough, 139
——. *See* T. Maucher, 372
Finnie, S. M., Jeannotte, R., and J. M. Faubion. Quantitative characterization of polar lipids from wheat whole meal, flour, and starch, 637
Fitzgerald, M. A., C. J. Bergman, A. P. Resurreccion, J. Möller, R. Jimenez, R. F. Reinke, M. Martin, P. Blanco, F. Molina, M.-H. Chen, V. Kuri, M. V. Romero, F. Habibi, T. Umemoto, S. Jongdee, E. Graterol, K. R. Reddy, P. Z. Bassinello, R. Sivakami, N. S. Rani, S. Das, Y. J. Wang, S. D. Indrasari, A. Ramli, R. Ahmad, S. S. Dipti, L. Xie, N. T. Lang, P. Singh, D. C. Toro, F. Tavasoli, and C. Mestres. Addressing the dilemmas of measuring amylose in rice, 492, *714*
——. *See* E. T. Champagne, 274
Flores, R. A. *See* N. Prasopsunwattana, 439
Fongaro, L. *See* M. Lucisano, 542
Fox, S. R. *See* O. Taboada-Gaytan, 204
Frost, D. J. *See* M. B. Omary, 565
Fu, B. X. *See* D. W. Hatcher 106

Gallagher, E. *See* L. Alvarez-Jubete, 511
Gao, J., T. Vasanthan, and R. Hoover. Isolation and characterization of high-purity starch isolates from regular, waxy, and high-amylose hulless barley grains, 157
Gao, J.-L. *See* M.-L. Zhang, 261
Garg, M., H. Tanaka, N. Ishikawa, K. Takata, M. Yanaka, and H. Tsujimoto. A novel pair of HMW glutenin subunits from *Aegilops searsii* improves quality of hexaploid wheat, 26
Gebruers, K. *See* H. Mokrane, 487
Geng, Y. *See* X. Wang, 23
Gergely, S. *See* J. Schmidt, 398
Goad, C. *See* Y. Chen, 96
Godber, J. S. *See* C. J. Huang, 679
Goto, M. *See* M. Seguchi, 633
Goto-Yamamoto, N. *See* M. Okuda, 534
Graterol, E. *See* M. A. Fitzgerald, 492, *714*
Grausgruber, H. *See* J. Schmidt, 398
Graves, A. M., Siebenmorgen, T. J., and M. I. Saleh. A comparative study between the McGill #2 laboratory mill and commercial milling systems, 470
Gray, D., E. M. Abdel-Aal, K. Seetharaman, and Y. Kakuda. Differences in carbohydrate composition and digestion in vitro of selected barley cultivars as influenced by pearling and cooking, 669
Graybosch, R. A. *See* F. E. Dowell, 251
Guan, L. *See* R. Zhao, 145
Guerra, C. *See* M. J. Cho, 113
Gutiérrez, E. *See* I. Rojas-Molina, 516
Gwirtz, J. A. *See* R. A. Miller, 665

Habibi, F. *See* M. A. Fitzgerald, 492, *714*
Han, J.-A. and S.-T. Lim. Effect of presoaking on textural, thermal, and digestive properties of cooked brown rice, 100, *247*
Haneda, T. *See* Z. Nishio, 313
Hanna, M. A. *See* H. A. Pushpadass, 44
Hansen, Å. *See* L. Alvarez-Jubete, 511
——. *See* M. M. Engelsen, 499
——. *See* E. Tønning, 706
Haque, E. *See* J. Yoo, 122
Hareland, G. *See* J.-B. Ohm, 463
Hatcher, D. W., J. E. Dexter, and B. X. Fu. Refrigerated storage of yellow alkaline durum noodles: Impact on color and texture, 106
——, ——, G. G. Bellido, J. M. Clarke, and M. J. Anderson. Impact of genotype and environment on the quality of amber durum wheat alkaline noodles, 452
He, Z. *See* Y. Ye, 477
Herald, T. J. *See* R. Y. Chen, 582
Hernández-Urbiola, M. *See* I. Rojas-Molina, 516
Hill, S. *See* L. Moreau, 232
Holse, M. *See* L. Alvarez-Jubete, 511
Hoover, R. *See* J. Gao, 157
Huang, C. J., Z. Xu, and J. S. Godber. Potential antioxidant activity of γ-oryzanol in rice bran as determined using an in vitro mouse lymph axillary endothelial cell model, 679
Huang, S. *See* Y. Ye, 477

Iida, S. *See* K. Ashida, 225
Ileleji, K. E. *See* C. Clementson, 267
Immerstrand, T., B. Bergenståhl, C. Trägårdh, M. Nyman, S. Cui, and R. Öste. Extraction of β-glucan from oat bran in laboratory scale, 601
Indrasari, S. D. *See* M. A. Fitzgerald, 492, *714*
Inglett, G. E., D. J. Rose, D. G. Stevenson, D. Chen, and A. Biswas. Total phenolics and antioxidant activity of water and ethanolic extracts from distillers dried grains with solubles with or without microwave irradiation, 661
——, J. Xu, D. G. Stevenson, and D. Chen. Rheological and pasting properties of buckwheat (*Fagopyrum esculentum* Möench) flours with and without jet-cooking, 1
Ishikawa, N. *See* M. Garg, 26
Isogai, A. *See* M. Okuda, 534
Ito, M. *See* Z. Nishio, 313

Jang, E.-H., S.-T. Lim, and S.-S. Kim. Effect of storage temperature for paddy on consumer perception of cooked rice, 549
Jayas, D. S. *See* C. B. Singh, 256
Jeannotte, R. *See* S. M. Finnie, 637
Jimenez, R. *See* M. A. Fitzgerald, 492, *714*
Jin, L., P. Xiao, Y. Lu, Y. Shao, Y. Shen, and J. Bao. Quantitative trait loci for brown rice color, phenolics, flavonoid contents, and antioxidant capacity in rice grain, 609
Johnson, L. A. *See* O. Taboada-Gaytan, 204
Johnston, D. B. *See* P. Wang, 319
Jongdee, S. *See* M. A. Fitzgerald, 492, *714*
Joyo, N. *See* M. Okuda, 534

Kadivar, M. *See* L. Mirmoghtadaie, 685
Kahlon, T. S., M. M. Chiu, and M. H. Chapman. In vitro bile-acid-binding of whole vs. pearled wheat grain, 329
Kahraman, K. *See* H. Koksel, 522
Kakuda, Y. *See* D. Gray, 669
Kandler, J. *See* M. Wiwart, 52, *486*
Kaufman, R. C., M. Tilley, S. R. Bean, and M. R. Tuinstra. Improved characterization of sorghum tannins using size-exclusion chromatography, 369
Khan, K. *See* W. Wang, 623
Khullar, E., E. D. Sall, K. D. Rausch, M. E. Tumbleson, and V. Singh. Ethanol production from modified and conventional dry-grind processes using different corn types, 616
Kidd, M. T. *See* R. Srinivasan, 393
Kim, S.-S. *See* E.-H. Jang, 549
King, G. E. *See* C. F. Morris, 307
Kobayashi, N. *See* Z.-H. Lu, 70
Koch, K. B. *See* R. Srinivasan, 393
Koen, E. *See* M. T. Labuschagne, 61
Koh, B.-K. and P. K. W. Ng. Effects of ferulic acid and transglutaminase on hard wheat flour dough and bread, 18
Kohyama, K. *See* Z.-H. Lu, 70
Koksel, H., K. Kahraman, T. Sanal, D. S. Ozay, and A. Dubat. Utilization of Mixolab for quality evaluation of bread wheat genotypes, 522
——, T. Ozderen, B. Olanca, and D. S. Ozay. Effects of suni bug (*Eurygaster* spp.) damage on milling properties and semolina quality of durum wheats (*Triticum durum* L.), 181
——. *See* S. Ozturk, 503
Krska, R. *See* M. Wiwart, 52, *486*
Kumashiro, C. *See* M. Seguchi, 633
Kuri, V. *See* M. A. Fitzgerald, 492, *714*
Kusunose, C. *See* M. Seguchi, 633
Kweon, M., R. Martin, and E. Souza. Effect of tempering conditions on milling performance and flour functionality, 12
——, L. Slade, and H. Levine. Oxidative gelation of solvent-accessible arabinoxylans is the predominant consequence of extensive chlorination of soft wheat flour, 421
——, ——, ——, R. Martin, and E. Souza. Exploration of sugar functionality in sugar-snap and wire-cut cookie baking: Implications for potential sucrose replacement or reduction, 425
——, ——, ——, ——, L. Andrews, and E. Souza. Effects of extent of chlorination, extraction rate, and particle size reduction on flour and gluten functionality explored by solvent retention capacity (SRC) and Mixograph, 221

Lagrain, H. *See* H. Mokrane, 487
Lamsal, B. P. *See* J. Yoo, 122
Lang, N. T. *See* M. A. Fitzgerald, 492, *714*
Laskowska, M. *See* M. Wiwart, 52, *486*
Lee, S. P. *See* N. Prasopsunwattana, 439
Levine, H. *See* M. Kweon, 221, 421, 425

Lewis, D. S. *See* M. B. Omary, 565
Li, F. *See* X. Wang, 23
Li, L. *See* X. Liu, 383
Li, L.-T. *See* Z.-H. Lu, 70
Li, S., C. F. Morris, and A. D. Bettge. Genotype and environment variation for arabinoxylans in hard winter and spring wheats of the U.S. pacific northwest, 88
——. *See* C. F. Morris, 307
Lim, S.-T. *See* J.-A. Han, 100, *247*, 549
Lima Pallone, J. A. *See* T. Rezende Boen, 695
Lin, Y. *See* X. Wang, 23
Linlaud, N. E., M. C. Puppo, and C. Ferrero. Effect of hydrocolloids on water absorption of wheat flour and farinograph and textural characteristics of dough, 376
Liu, H. *See* X. Liu, 383
Liu, X., L. Yu, H. Liu, L. Chen, and L. Li. Thermal decomposition of corn starch with different amylose/amylopectin ratios in open and sealed systems, 383
Lu, Y. *See* L. Jin, 609
Lu, Z.-H., T. Sasaki, N. Kobayashi, L.-T. Li, and K. Kohyama. Elucidation of fermentation effect on rice noodles using combined dynamic viscoelasticity and thermal analyses, 70
Lucisano, M., M. Mariotti, M. A. Pagani, G. Bottega, and L. Fongaro. Cooking and textural properties of some traditional and aromatic rice cultivars, 542

M. T. Labuschagne, O. Elago, and E. Koen. Influence of extreme temperatures during grain filling on protein fractions, and its relationship to some quality characteristics in bread, biscuit, and durum wheat, 61
MacRitchie, F. *See* S. Yan, 597
Madl, R. L. *See* R. Zhao, 145
Maghirang, E. B. *See* F. E. Dowell, 251, 527
Mak, Y., R. D. Willows, T. H. Roberts, C. W. Wrigley, P. J. Sharp, and L. Copeland. Germination of wheat: A functional proteomics analysis of the embryo, 281
Maquet, M. *See* M. Szulc, 692
Mariotti, M. *See* M. Lucisano, 542
Martin, M. *See* M. A. Fitzgerald, 492, *714*
Martin, R. *See* M. Kweon, 12, 221, 425
Martínez-Bustos, F. *See* C. L. Medina-Rodríguez, 127
Marx, D. B. *See* H. A. Pushpadass, 44
Matsuura, F. C. A. U. *See* G. Vernaza, 302
Maucher, T., J. D. C. Figueroa, W. Reule, and R. J. Peña. Influence of low molecular weight glutenins on viscoelastic properties of intact wheat kernels and their relation to functional properties of wheat dough, 372
——. *See* J. D. C. Figueroa, 139
McClung, A. M. *See* R. J. Bryant, 405
McMullen, M. S. *See* D. C. Doehlert, 239, 653
Medina-Rodríguez, C. L., P. Torres, F. Martínez-Bustos, B. Ramirez-Wong, O. Paredes-López, and E. Castaño-Tostado. Effect of microbial transglutaminase on dough proteins of hard and soft (*Triticum aestivium*) and durum (*Triticum durum*) wheat cultivars, 127
Mendes da Silva, C. E., M. V. da Fonseca, S. Amorim, M. M. L. de Medeiros, and S. M. de Morais. Use of tannic acid as dough oxidizing and vitamin C protective agent, 136
Mestres, C. *See* M. A. Fitzgerald, 492, *714*
Mikami, S. *See* M. Okuda, 534
Milán-Carrillo, J. *See* E. O. Cuevas-Rodríguez, 7
Miller, R. A., and J. A. Gwirtz. Effect of sieve tension in Quadrumat Senior laboratory milling, 665
Mirmoghtadaie, L., M. Kadivar, and M. Shahedi. Effect of modified oat starch and protein on batter properties and quality of cake, 685
Mishima, H. *See* M. Seguchi, 633
Miura, H. *See* Z. Nishio, 313
Mokhawa, G., M. P. Ralefala, B. B. Bulawayo, and L. I. Ezeogu. Qualitative zymographic studies of major proteinases from malted sorghum (*Sorghum bicolor* L.) and effects of cultivar, 575
Mokrane, H., B. Lagrain, K. Gebruers, C. M. Courtin, K. Brijs, P. Proost, and J. A. Delcour. Characterization of kafirins in Algerian sorghum cultivars, 487
Molina, F. *See* M. A. Fitzgerald, 492, *714*
Möller, J. *See* M. A. Fitzgerald, 492, *714*
Morawicki, R. *See* M. J. Cho, 113
Moreau, L., W. Bindzus, and S. Hill. Influence of sodium chloride on color development of cereal model systems through changes in glass transition temperature and water retention, 232
Morris, C. F., S. Li, G. E. King, D. A. Engle, J. W. Burns, and A. S. Ross. A comprehensive genotype and environment assessment of wheat grain ash content in Oregon and Washington: Analysis of variation, 307
——. *See* S. Li, 88
——. *See* J.-B. Ohm, 197
Munck, L. *See* E. Tønning, 706
Muthukumarappan, K. *See* R. Bhadra, 170, 410

Ng, P. K. W. *See* B.-K. Koh, 18
——. *See* S. Ozturk, 503
Nishio, Z., H. Oikawa, T. Haneda, M. Seki, M. Ito, T. Tabiki, H. Yamauchi, and H. Miura. Influence of amylose content on cookie and sponge cake quality and solvent retention capacities in wheat flour, 313
Nørgaard, L. *See* E. Tønning, 706
Nyman, M. *See* T. Immerstrand, 601

Ohm, J.-B., G. Hareland, S. Simsek, and B. Seabourn. Size-exclusion HPLC of protein using a narrow-bore column for evaluation of breadmaking quality of hard spring wheat flours, 463
——, A. S. Ross, C. J. Peterson, and C. F. Morris. Relationships of quality characteristics with size-exclusion HPLC chromatogram of protein extract in soft white winter wheats, 197
——. *See* D. C. Doehlert, 239, 653
Oikawa, H. *See* Z. Nishio, 313
Okuda, M., A. Isogai, M. Joyo, N. Goto-Yamamoto, and S. Mikami. Influence of sulfur and nitrogen content of rice grains on flavor in stored sake, 534
Olanca, B. *See* H. Koksel, 181
Omary, M. B., K. A., Rosentrater, D. S. Lewis, E. Arndt, D. J. Frost, and L. M. Winstone. Sensory evaluation of barley chocolate chip cookies by consumers with different demographic background and eating patterns, 565
——. *See* N. Prasopsunwattana, 439
Öste, R. *See* T. Immerstrand, 601
Ozay, D. S. *See* H. Koksel, 181, 522
Ozderen, T. *See* H. Koksel, 181
Ozturk, S., H. Koksel, and P. K. W. Ng. Characterization of resistant starch samples prepared from two high-amylose maize starches through debranching and heat treatments, 503

Pagani, M. A. *See* M. Lucisano, 542
Paliwal, J. *See* C. B. Singh, 256
Paredes-López, O. *See* C. L. Medina-Rodríguez, 127
Park, S. J., and B.-K. Baik. Quantitative and qualitative role of added gluten on white salted noodles, 646
Pederson, L. *See* E. Tønning, 706
Peña, R. J. *See* J. D. C. Figueroa, 139
——. *See* T. Maucher, 372
Perkowski, J. *See* M. Wiwart, 52, *486*
Peterson, C. J. *See* J.-B. Ohm, 197
Piergiovanni, A. R. Estimating gliadin and albumin variation at intra- and interaccession level in USDA oriental wheat (*Triticum turgidum* L. subsp. *turanicum* (Jakubz.) (A. Love & D. Love) collection using capillary zone electrophoresis, 37
Pollack, L. M. *See* O. Taboada-Gaytan, 204
Prasopsunwattana, N., M. B. Omary, E. A. Arndt, P. H. Cooke, R. A. Flores, W. Yokoyama, A. Toma, S. Chongcham, and S. P. Lee. Particle size effects on the quality of flour tortillas enriched with whole grain waxy barley, 439
Preinerstorfer, E. *See* M. Wiwart, 52, *486*
Proost, P. *See* H. Mokrane, 487
Pruiett, L. E. *See* K. D. Rausch, 434
Puppo, M. C. *See* N. E. Linlaud, 376
Pushpadass, H. A., D. B. Marx, R. L. Wehling, and M. A. Hanna. Extrusion and characterization of starch films, 44

Quail, K. J. *See* Y. Ye, 477

Ralefala, M. P. *See* G. Mokhawa, 575
Ramírez-Wong, B. *See* C. L. Medina-Rodríguez, 127
Ramli, A. *See* M. A. Fitzgerald, 492, *714*
Rani, N. S. *See* M. A. Fitzgerald, 492, *714*
Rausch, K. D., L. E. Pruiett, P. Wang, L. Xu, R. L. Belyea, and M. E. Tumbleson. Laboratory measurement of yield and composition of dry-milled corn fractions using a shortened, single-stage tempering procedure, 434
——. *See* E. Khullar, 616
——. *See* B. C. Vidal, 133, 323
——. *See* P. Wang, 319
Reddy, K. R. *See* M. A. Fitzgerald, 492, *714*
Reinke, R. F. *See* M. A. Fitzgerald, 492, *714*
Repo-Carrasco, R. *See* C. M. Rosell, 386
Resurreccion, A. P. *See* M. A. Fitzgerald, 492, *714*
Reule, W. *See* J. D. C. Figueroa, 139
——. *See* T. Maucher, 372
Reyes-Moreno, C. *See* E. O. Cuevas-Rodríguez, 7

Rezende Boen, T., and J. A. Lima Pallone. Folic acid, iron, and zinc contents in chosen food products prepared with fortified flours, 695
Richardson, K. *See* G. Spielbauer, 556
Riveland, N. R. *See* D. C. Doehlert, 239, 653
Roberts, T. H. *See* Y. Mak, 281
Rodríguez-Ambriz, S. L. *See* L. A. Bello-Pérez, 701
Rodruíguez-García, M. E. *See* I. Rojas-Molina, 516
Rojas, A. *See* I. Rojas-Molina, 516
Rojas-Molina, I., E. Gutiérrez, A. Rojas, M. Cortés-Álvarez, L. Campos-Solís, M. Hernández-Urbiola, J. L. Arjona, A. Cornejo, and M. E. Rodríguez-García. Effect of temperature and steeping time on calcium and phosphorus content in nixtamalized corn flours obtained by traditional nixtamalization process, 516
Romero, M. V. *See* M. A. Fitzgerald, 492, *714*
Rooney, L. W. *See* N. R. Dlamini, 191
Rose, D. J. *See* G. E. Inglett, 661
Rosell, C. M., G. Cortez, and R. Repo-Carrasco. Breadmaking use of Andean crops quinoa, kañiwa, kiwicha, and tarwi, 386
Rosentrater, K. *See* R. Bhadra, 170, 410
——. *See* M. B. Omary, 565
Ross, A. S. *See* C. F. Morris, 307
——. *See* J.-B. Ohm, 197

Saleh, M. I. *See* A. M. Graves, 470
Salgó, A. *See* J. Schmidt, 398
Sall, E. D. *See* E. Khullar, 616
Sanal, T. *See* H. Koksel, 522
Sanchez-Rivera, M. M. *See* L. A. Bello-Pérez, 701
Sasaki, T. *See* Z.-H. Lu, 70
Schmidt, J., S. Gergely, R. Schönlechner, H. Grausgruber, S. Tömösközi, A. Salgó, and E. Berghofer. Comparison of different types of NIR instruments in ability to measure β-glucan content in naked barley, 398
Schmidt, S. J. *See* P. Wang, 319
Schmitt, M. R., and A. D. Budde. Calcofluor fluorescence assay for wort β-glucan in a microplate format, 33
—— and M. L. Wise. Barley and oat β-glucan content measured by calcofluor fluorescence in a microplate assay, 187
Schober, T. J., S. R. Bean, and D. Wang. Capillary electrophoresis as a tool for evaluating lactic acid production from sorghum, 117
Schönlechner, R. *See* J. Schmidt, 398
Seabourn, B. W. *See* R. Y. Chen, 582
——. *See* J.-B. Ohm, 463
——. *See* R. Zhao, 145
Seetharaman, K. *See* D. Gray, 669
Seguchi, M., H. Mishima, C. Kumashiro, Y. Yoshino, C. Kusunose, and M. Goto. Effect of *Capsicum* powder on breadmaking properties, 633
Seib, P. A. *See* L. L. Yeo, 210
Seki, M. *See* Z. Nishio, 313
Settles, A. M. *See* G. Spielbauer, 556
Shahedi, M. *See* L. Mirmoghtadaie, 685
Shahin, M. A. *See* S. J. Symons, 164
Shao, Y. *See* L. Jin, 609
Sharp, P. J. *See* Y. Mak, 281
Shen, B. *See* G. Spielbauer, 556
Shen, Y. *See* L. Jin, 609
Shi, Y.-C. *See* R. Zhao, 145
Siebenmorgen, T. J. *See* A. M. Graves, 470
Simsek, S. *See* J.-B. Ohm, 463
Singh, C. B., D. S. Jayas, J. Paliwal, and N. D. G. White. Detection of sprouted and midge-damaged wheat kernels using near-infrared hyperspectral imaging, 256
Singh, P. *See* M. A. Fitzgerald, 492, *714*
Singh, V. *See* E. Khullar, 616
——. *See* B. C. Vidal, 133, 323
——. *See* P. Wang, 319
Sivakami, R. *See* M. A. Fitzgerald, 492, *714*
Slade, L. *See* M. Kweon, 221, 421, 425
Souza, E. *See* M. Kweon, 12, 221, 425
Spielbauer, G., P. Armstrong, J. W. Baier, W. B. Allen, K. Richardson, B. Shen, and A. M. Settles. High-throughput near-infrared reflectance spectroscopy for predicting quantitative and qualitative composition phenotypes of individual maize kernels, 556
Srinivasan, R., A. Corzo, K. B. Koch, and M. T. Kidd. Effect of fractionation of distillers dried grains with solubles (DDGS) on pelleting characteristics of broiler diets, 393
Steel, C. J. *See* G. Vernaza, 302
Stevenson, D. G. *See* G. E. Inglett, 1, 661
Stroshine, R. L. *See* C. Clementson, 267
Suchowilska, E. *See* M. Wiwart, 52, *486*
Symons, S. J., G. Venora, L. Van Schepdael, and M. A. Shahin. Measurement of spaghetti speck count, size, and color using an automated imaging system, 164
Szulc, M., and A. Maquet. Extraction protocol for winter wheat whole grain proteins compatible with two-dimensional fluorescence difference gel electrophoresis (2D DIGE), 692

Tabiki, T. *See* Z. Nishio, 313
Taboada-Gaytan, O., L. M. Pollak, L. A. Johnson, and S. R. Fox. Wet-milling characteristics of 10 lines from germplasm enhancement of maize project compared with five corn belt lines, 204
Takata, K. *See* M. Garg, 26
Tanaka, H. *See* M. Garg, 26
Tavasoli, F. *See* M. A. Fitzgerald, 492, *714*
Taylor, J. R. N. *See* C. Chiremba, 590
——. *See* N. R. Dlamini, 191
Thomson, J. L. *See* E. T. Champagne, 274
Thybo, A. K. *See* E. Tønning, 706
Tilley, M. *See* R. C. Kaufman, 369
Tiwari, U., and E. Cummins. Factors influencing β-glucan levels and molecular weight in cereal-based products, 290
Tøgersen, F. A. *See* E. Tønning, 706
Toma, A. *See* N. Prasopsunwattana, 439
Tömösközi, S. *See* J. Schmidt, 398
Tønning, E., A. K. Thybo, L. Pedersen, L. Munck, Å. Hansen, F. A. Tøgersen, S. B. Engelsen, and L. Nørgaard. Bulk functionality diversification by unsupervised single-kernel near-infrared (SKNIR) sorting of wheat, 706
Toro, D. C. *See* M. A. Fitzgerald, 492, *714*
Torres, P. *See* C. L. Medina-Rodríguez, 127
Trägårdh, C. *See* T. Immerstrand, 601
Tsujimoto, H. *See* M. Garg, 26
Tuinstra, M. *See* R. C. Kaufman, 369
Tumbleson, M. E. *See* E. Khullar, 616
——. *See* K. D. Rausch, 434
——. *See* B. C. Vidal, 133, 323
——. *See* P. Wang, 319

Umemoto, T. *See* M. A. Fitzgerald, 492, *714*

Van Schepdael, L. *See* S. J. Symons, 164
Vasanthan, T. *See* J. Gao, 157
Venora, G. *See* S. J. Symons, 164
Vernaza, G., F. C. A. U. Matsuura, Y. K. Chang, and C. J. Steel. Effect of some extrusion variables on residual quantity of cyanogenic compounds in an organic breakfast cereal containing passion fruit fiber, 302
Vidal. B. C., K. D. Rausch, M. E. Tumbleson, and V. Singh. Determining corn germ and pericarp residual starch by acid hydrolysis, 133
——, ——, ——, and ——. Protease treatment to improve ethanol fermentation in modified dry grind corn processes, 323

Wang, D. *See* T. J. Schober, 117
——. *See* X. Wang, 23
——. *See* S. Yan, 597
——. *See* R. Zhao, 145
Wang, P., D. B. Johnston, K. D. Rausch, S. J. Schmidt, M. E. Tumbleson, and V. Singh. Effects of protease and urea on a granular starch hydrolyzing process for corn ethanol production, 319
——. *See* K. D. Rausch, 434
Wang, W., and K. Khan. Effect of the molecular weight distribution of glutenin protein from an extra-strong wheat flour on rheological and breadmaking properties through reconstitution studies, 623
——, Y. Lin, Y. Geng, F. Li, and D. Wang. Preparative separation and purification of sesamin and sesamolin from sesame seeds by high-speed countercurrent chromatography, 23
Wang, Y. J. *See* M. A. Fitzgerald, 492, *714*
Wang, Z. *See* Z. Dai, 82
Waniska, R. D. *See* N. R. Dlamini, 191
Wehling, R. L. *See* H. A. Pushpadass, 44
White, N. D. G. *See* C. B. Singh, 256
Wiesenborn, D. P. *See* D. C. Doehlert, 653
Willows, R. D. *See* Y. Mak, 281
Wilson, J. D. *See* R. Zhao, 145
Winstone, L. M. *See* M. B. Omary, 565
Wise, M. L. *See* M. R. Schmitt, 187
Wiwart, M., W. Kandler, J. Perkowski, F. Berthiller, B. Preinerstorfer, E. Suchowilska, M. Busko, M. Laskowska, and R. Krska. Concentrations of some metabolites produced by fungi of the genus *Fusarium* and selected elements in spring spelt grain, 52, *486*
Wrigley, C. W. *See* Y. Mak, 281

Wu, X. *See* S. Yan, 597
——. *See* R. Zhao, 145

Xiao, P. *See* L. Jin, 609
Xie, F. *See* R. Y. Chen, 582
Xie, L. *See* M. A. Fitzgerald, 492, *714*
Xu, J. *See* G. E. Inglett, 1
Xu, L. *See* K. D. Rausch, 434
Xu, Z. *See* C. J. Huang, 679

Yamauchi, H. *See* Z. Nishio, 313
Yan, J. *See* Y. Ye, 477
Yan, S., X. Wu, F. MacRitchie, and D. Wang. Germination-improved ethanol fermentation performance of high-tannin sorghum in a laboratory dry-grind process, 597
Yanaka, M. *See* M. Garg, 26
Yang, H.-X. *See* M.-L. Zhang, 261
Yasui, T. *See* K. Ashida, 225
Ye, Y., Y. Zhang, J. Yan, Y. Zhang, Z. He, S. Huang, and K. J. Quail. Effects of flour extraction rate, added water, and salt on color and texture of Chinese white noodles, 477
Yeo, L. L., and P. A. Seib. White pan bread and sugar-snap cookies containing wheat starch phosphate, a cross-linked resistant starch, 210
Yin, Y. *See* Z. Dai, 82
Yokoyama, W. *See* N. Prasopsunwattana, 439
Yoo, J., B. P. Lamsal, E. Haque, and J. M. Faubion. Effect of enzymatic tempering of wheat kernels on milling and baking performance, 122
Yoshino, Y. *See* M. Seguchi, 633
Yu, L. *See* X. Liu, 383
Zhang, M.-L., J.-L. Gao, and H.-X. Yang. Functional properties of 7s globulin extracted from cowpea vicilins, 261
Zhang, Yan. *See* Y. Ye, 477
Zhang, Yong. *See* Y. Ye, 477
Zhao, R., X. Wu, B. W. Seabourn, S. R. Bean, L. Guan, Y.-C. Shi, J. D. Wilson, R. Madl, and D. Wang. Comparison of waxy vs. nonwaxy wheats in fuel ethanol fermentation, 145

CEREAL CHEMISTRY®

Subject Index to Volume 86

Page numbers of errata are in italic.

Acetylation, of oat starch, effect on batter properties and cake quality (Mirmoghtadaie et al), 685
Acid hydrolysis, in determining corn germ and pericarp residual starch (Vidal et al), 133
Additives, characterization of water state in masa (Lucius et al), 350
Aelia spp. *See* Suni bugs
Albumins
—effect of microbial transglutaminase from hard, soft, and durum wheat cultivars (Medina-Rodríguez et al), 127
—estimating variation in USDA oriental wheat collection using capillary zone electrophoresis (Piergiovanni), 37
Alkaline noodles. *See* Yellow alkaline noodles
Alkaline reagent, in stress relaxation parameters of yellow alkaline noodles (Hatcher et al), 361
Amaranth, effect of baking on vitamin E content (Alvarez-Jubete et al), 511
Amylopectins
—of normal maize and barley starches, solubilization effects on molecular weight (Bello-Pérez et al), 701
—thermal decomposition of corn starch (Liu), 383
Amylose
—cookie, sponge cake quality and solvent retention capacities (Nishio et al), 313
—dilemmas of measurement in rice (Fitzgerald et al), 492, *714*
—effect of different water regimes on (Dai et al), 82
—formation of spherulites from jet-cooked (Byars et al), 76
—impact on cooked rice flavor and texture (Champagne et al), 274
—of normal maize and barley starches, solubilization effects on molecular weight (Bello-Pérez et al), 701
—thermal decomposition of corn starch with (Liu), 383
Ancient wheats, estimating gliadin and albumin variation using capillary zone electrophoresis (Piergiovanni), 37
Antioxidant activity
—of γ-oryzanol in rice bran (Huang et al), 679
—quantitative trait loci for rice grain (Jin et al), 609
—sorghum cookies and (Chiremba et al), 590
—water and ethanolic extracts from DDGS with or without microwave irradiation (Inglett et al), 661
Arabinoxylans
—oxidative gelation of, extensive chlorination of soft wheat flour and (Kweon et al), 421
—variations due to genotype and environment in hard winter and spring wheats (Li et al), 88
Ascorbic acid. *See* Vitamin C
Ash content of wheat grain, by genotype and environment (Morris et al), 307
ATP (adenosine triphosphate), production by *Fusarium* spp. in spring spelt grain (Wiwart et al), 52, *486*
Autoclaving, effect on high-amylose maize starches (Ozturk et al), 503
Automation
—single-kernel sorting for selection of quality traits in wheat breeding lines (Dowell et al), 527
—sorting heterogenous bulk wheat (Tønning et al), 706
—sorting wheat kernels (Dowell et al), 251

Baking performance
—effect of enzymatic tempering on (Yoo et al), 122
—reduced amylose wheat and (Nishio et al), 313
Barley
—calcofluor fluorescence assay measuring β-glucan (Schmitt and Wise), 187
—differences in carbohydrate composition and digestion in vitro with pearling and cooking (Gray et al), 669
—enrichment of flour tortillas with whole grain (Prasopsunwattana et al), 439
—high-purity starch isolates from hulless (Gao et al), 157
—measuring β-glucan using different NIR instruments (Schmidt et al), 398
—sensory evaluation of chocolate chip cookies from flour (Omary et al), 565
—solubilization effects on molecular weights of amylose and amylopectins of starches (Bello-Pérez et al), 701
Batters, effect of modified oat starch and protein (Mirmoghtadaie et al), 685
Bile acid, in vitro binding of whole vs. pearled wheat grain (Kahlon et al), 329
Biofortification
—of brown rice grain by conventional breeding (Jin et al), 609
—of flour; folic acid, iron, and zinc content of food products prepared with (Rezende Boen and Pallone), 695
Biofuels, waxy vs. nonwaxy wheat fermentation for (Zhao et al), 145
Brabender Quadrumat Senior laboratory mill, sieve tension effect (Miller and Gwirtz), 665
Bread
—*Capsicum* powder effect on (Seguchi et al), 633
—folic acid, iron, and zinc content when prepared from fortified flours (Rezende Boen and Pallone), 695
—from quinoa, kañiwa, kiwicha, and tarwi (Rosell et al), 386
—glutenin protein molecular weight distribution (Wang and Khan), 623
—wheat starch phosphate and (Yeo and Seib), 210
Broiler diets, effect of fractionation of distillers dried grains with solubles on pelleting characteristics (Srinivasan et al), 393
Brown rice
—effect of presoaking on properties (Han and Lim), 100, *247*
—quantitative trait loci for color, phenolics, flavonoid contents, and antioxidant capacity (Jin et al), 609
Buckwheat (*Fagopyrum esculentum*)
—effect of baking on vitamin E content (Alvarez-Jubete et al), 511
—jet-cooking of flours and rheological and pasting properties (Inglett et al), 1

Cake quality
—amylose content and (Nishio et al), 313
—effect of modified oat starch and protein on (Mirmoghtadaie et al), 685
Calcium, effect of temperature and steeping time in nixtamalized corn flours (Rojas-Molina et al), 516
Calcofluor fluorescence assay
—barley and oat β-glucan in microplate format (Schmitt and Wise), 187
—wort β-glucan in microplate format (Schmitt and Budde), 33
Capillary electrophoresis. *Also* CZE
—estimation of gliadin and albumin variation in USDA oriental wheat (Piergiovanni), 37
—evaluation of lactic acid production from sorghum (Schober et al), 117
Capsicum powder, effect on breadmaking properties (Seguchi et al), 633
Carboxymethyl cellulose (CMC), characterization of water state in masa with (Lucius et al), 350
Cayenne, effect of powder on breadmaking properties (Seguchi et al), 633
Cereals. *See also* Pseudocereals
—effect of extrusion variables on residual quantity of cyanogenic compounds (Vernaza et al), 302
—factors influencing β-glucan levels and molecular weight in (Tiwari and Cummins), 290
—influence of sodium chloride on color development (Moreau et al), 232
Chinese white noodles, effect of flour extraction rate, added water, and salt on color and texture (Ye et al), 477
Chlorination
—flour and gluten functionality and (Kweon et al), 221
—oxidative gelation of solvent-accessible arabinoxylans (Kweon et al), 421
Chocolate chip cookies, sensory evaluation by consumers with different demographic background and eating patterns (Omary et al), 565
Cholesterol, in vitro bile-acid-binding of whole vs. pearled wheat grain (Kahlon et al), 329
Chopin mixolab device, evaluating bread from quinoa, kañiwa, kiwicha, and tarwi (Rosell et al), 386
Color
—effect of added water in Chinese white noodles (Ye et al), 477
—influence of sodium chloride on development in cereals (Moreau et al), 232
—of alkaline durum noodles (Hatcher et al), 106
—quantitative trait loci in rice grain (Jin et al), 609
Condensed tannins, in sorghum porridges (Dlamini et al), 191
Consumer acceptance
—of barley chocolate chip cookies (Omary et al), 565
—of sorghum cookies (Chiremba et al), 590
Cookies
—amylose content, SRC in wheat flour (Nishio et al), 313

—effect of flour type and dough rheology on baking properties (Hadi Nezhad and Butler), 339
—from sorghum flours, phenolic content, antioxidant activity, and consumer acceptability of (Chiremba et al), 590
—sensory evaluation by consumers with different demographic backgrounds and eating patterns (Omary et al), 565
—sugar functionality in baking of (Kweon et al), 425
—wheat starch phosphate and (Yeo and Seib), 210

Corn
—acid hydrolysis for determining germ and pericarp residual starch (Vidal et al), 133
—ethanol production by dry-grind processes (Khullar et al), 609
—ethanol yield procedure for dry-grind processing (Lemuz et al), 355
—granular starch hydrolysis for production of ethanol (Wang et al), 319
—predict composition phenotypes of individual kernels (Spielbauer et al), 556
—protease treatment in modified dry grind process for ethanol production (Vidal et al), 323
—solubilization effects on molecular weights of amylose and amylopectins of starches (Bello-Pérez et al), 701
—wet-milling characteristics of different lines (Taboada-Gaytan et al), 204
Corn starch
—effect of debranching, autoclaving-storing cycles, and drying processes (Ozturk et al), 503
—high amylose, jet-cooking (Byars et al), 76
—with different amylose/amylopectin ratios, thermal decomposition (Liu), 383
Cowpeas, functional properties of 7s globulin from (Zhang et al), 261
Crop rotation, effect on rice grain quality (Bryant et al), 405
Cross-linked starches
—oat, batter properties and cake quality (Mirmoghtadaie et al), 685
—white pan bread, sugar-snap cookies and (Yeo and Seib), 210
Cultivar. *Also* Genotype
—arabinoxylan content of wheats (Li et al), 88
—carbohydrate composition and in vitro digestion of selected barleys (Gray et al), 669
—color and texture of Chinese white noodles (Ye et al), 477
—cooking and textural properties of rice (Lucisano et al), 542
—LMW glutenins, wheat kernels and dough (Maucher et al), 372
—oat dehulling (Doehlert et al), 653
—phytosterol content of wheat (Chen et al), 96
—proteinases from malted sorghum (Mokhawa et al), 575
—quality of amber durum wheat alkaline noodles (Hatcher et al), 452
—quantitative trait loci for color, phenolics, flavonoid contents, and antioxidant capacity in brown rice and (Jin et al), 609
—rice grain quality (Bryant et al), 405
—use of Mixolab for quality evaluation (Koksel et al), 522
—wet-milling of different corn lines (Taboada-Gaytan et al), 204
—wheat grain ash content (Morris et al), 307
Cultural management practices, effect on rice grain quality (Bryant et al), 405
Cutting force, nixtamalized corn meal (Cuevas-Rodríguez et al), 7
Cyanogenic compounds, effect of extrusion variables on residual quantity in cereal containing passion fruit fiber (Vernaza et al), 302

Deamidation, of oat protein; effect on batter properties and cake quality (Mirmoghtadaie et al), 685
Debranching, effect on high-amylose maize starches (Ozturk et al), 503
Decomposition, with different amylose/amylopectin ratios (Liu et al), 383
Dehulling, oats, impact of rotor speed, genotype, and environment (Doehlert et al), 653
Deoxynivalenol, production by *Fusarium* spp. in spring spelt grain (Wiwart et al), 52, *486*
Differential scanning calorimetry (DSC)
—analysis of effects of fermentation on noodle texture (Lu et al), 70
—of corn starch with different amylose/amylopectin ratios (Liu et al), 383
—sugar functionality in cookie baking (Kweon et al), 425
Digalactosyldiglycerols; wheat whole meal, flour, and starch (Finnie et al), 637
Distillers dried grains with solubles (DDGS)
—cross-sectional staining and surface properties, and influence on flowability (Bhadra et al), 410
—diversification of coproducts from production (Vidal et al), 133
—effect of fractionation on pelleting characteristics of broiler diets (Srinivasan et al), 393
—Elusieve process, and (Srinivasan et al), 393
—flowability properties of commercial DDGS (Bhadra et al), 170
—particle segregation within pile and variability of nutrient content (Clementson et al), 267
—total phenolics and antioxidant activity of water and ethanolic extracts with or without microwave irradiation (Inglett et al), 661

Dough
—cookie development during baking (Hadi Nezhad and Butler), 339
—effect of glutenin subunits on viscoelasticity (Figueroa et al), 139
—from hard wheat breeding lines, evaluation by modified extensigraph method (Chen et al), 582
—influence of low molecular weight glutenins on (Maucher et al), 372
—tannic acid for preservation of ascorbic acid (Mendes da Silva et al), 136
Dry-grind corn processes, effects of protease and urea (Wang et al), 319
Dry-grind ethanol
—developing procedures for measuring yield (Lemuz et al), 355
—from different corn types (Khullar et al), 609
—germination-improved fermentation, high-tannin sorghum (Yan et al), 597
—protease treatment and (Vidal et al), 323
Drying processes, effect on high-amylose maize starches (Ozturk et al), 503
Dry-milling, measuring yield and composition of corn fractions (Rausch et al), 434
Durum wheat
—effect of genotype and environment on quality of alkaline noodles (Hatcher et al), 452
—effect of microbial transglutaminase on albumins (Medina-Rodríguez et al), 127
—effect of suni bug damage on milling properties and semolina quality (Koksel et al), 181
—measuring specks in spaghetti (Symons), 164
—refrigerated storage of yellow alkaline Chinese noodles (Hatcher et al), 106
Dynamic viscoelasticity, effects of fermentation on noodle texture (Lu et al), 70

Eating patterns, effect on sensory evaluation of chocolate chip cookies (Omary et al), 565
Elusieve process, effect of fractionation of distillers dried grains with solubles on pelleting characteristics of broiler diets (Srinivasan et al), 393
Endothelial cell model, for assessment of potential antioxidant activity of γ-oryzanol in rice bran (Huang et al), 679
Environment, effect of on
—arabinoxylan content of wheats (Li et al), 88
—oat dehulling (Doehlert et al), 653
—phytosterol content of wheat (Chen et al), 96
—quality of amber durum wheat alkaline noodles (Hatcher et al), 452
—wheat grain ash content (Morris et al), 307
Enzymes, tempering of wheat kernels, milling and baking performance (Yoo et al), 122
Ergosterol, *Fusarium* production in spring spelt grain (Wiwart et al), 52, *486*
Ethanol. *See also* Dry-grind ethanol
—extraction of phenolics and antioxidants from DDGS (Inglett et al), 661
—granular starch hydrolysis for production of (Wang et al), 319
—procedure for measuring yield (Lemuz et al), 355
—production from different corn types using dry-grind processes (Khullar et al), 609
—waxy vs. nonwaxy wheat fermentation for (Zhao et al), 145
Extensibility, and tannic acid as dough oxidizing and vitamin C protective agent (Mendes da Silva et al), 136
Extensigraphs, evaluating dough properties of hard wheat breeding lines (Chen et al), 582
Extraction rate
—effect on color and texture of Chinese white noodles (Ye et al), 477
—flour and gluten functionality and (Kweon et al), 221
Extrusion
—and characterization of starch films (Pushpadass et al), 44
—and condensed tannins in sorghum porridges (Dlamini et al), 191
—effect on residual cyanogenic compounds in cereal containing passion fruit fiber (Vernaza et al), 302

Farinograph, effect of hydrocolloids on water absorption (Linlaud et al), 376
Fatty acids, amylose; formation of spherulites in jet-cooking (Byars et al), 76
Fermentation
—in sorghum using capillary electrophoresis (Schober et al), 117
—germination-improved in high-tannin sorghum for ethanol production (Yan et al), 597
—of ethanol in modified dry-grind corn process with protease treatment (Vidal et al), 323
—of waxy vs. nonwaxy wheats for fuel ethanol (Zhao et al), 145
—of whole polished rice grains to improve noodle texture (Lu et al), 70
Fertilizers, effect of on rice grain quality (Bryant et al), 405
Ferulic acid
—in hard wheat flour dough and bread (Koh and Ng), 18
—potential antioxidant activity in rice bran (Huang et al), 679
Fiber, Elusieve process and (Srinivasan et al), 393
Films, starch, and extrusion characterization (Pushpadass et al), 44
Flavonoid content, quantitative trait loci in rice grain (Jin et al), 609

Flavor, of stored sake; influence of sulfur and nitrogen in rice grains (Okuda et al), 534
Flours
—adding *Capsicum* powder (Seguchi et al), 633
—amylose content and cookie and sponge cake quality (Nishio et al), 313
—buckwheat, rheological and pasting properties (Inglett et al), 1
—cookie development during baking (Hadi Nezhad and Butler), 339
—effect of chlorination, extraction rate, and particle size reduction (Kweon et al), 221
—effect of enzymatic tempering on baking performance (Yoo et al), 122
—effect of glutenin protein molecular weight distribution on rheological and breadmaking properties (Wang and Khan), 623
—effect of hydrocolloids on water absorption (Linlaud et al), 376
—enriched with whole grain waxy barley; particle size effects (Prasopsunwattana et al), 439
—ferulic acid and transglutaminase (Koh and Ng), 18
—fortified with folic acid, iron, and zinc (Rezende Boen and Pallone), 695
—from quinoa, kañiwa, kiwicha, and tarwi (Rosell et al), 386
—oxidative gelation of solvent-accessible arabinoxylans (Kweon et al), 421
—properties of chalky rice mutants (Ashida et al), 225
—refrigerated storage of yellow alkaline durum noodles (Hatcher et al), 106
—sensory evaluation of chocolate chip cookies (Omary et al), 565
—size-exclusion HPLC of protein for evaluating breadmaking quality (Ohm et al), 463
—sorghum, phenolic content, antioxidant activity, and consumer acceptability of cookies (Chiremba et al), 590
—sugar functionality in cookie baking (Kweon et al), 425
—tempering condition and milling performance (Kweon et al), 12
—wheat, characterization of polar lipids (Finnie et al), 637
Flowability properties of DDGS (Bhadra et al), 170, 410
Folic acid, in foods made with fortified flours (Rezende Boen and Pallone), 695
Fortification
—folic acid, iron, and zinc in food products (Rezende Boen and Pallone), 695
—of brown rice grain by conventional breeding (Jin et al), 609
Foss Infratec 1241 grain analyzer; Fourier transform near-infrared reflection instruments, measuring β-glucan in naked barley (Schmidt et al), 398
Fractionation
—dry-grind ethanol production from different corn types (Khullar et al), 616
—of heterogenous bulk wheat by single-kernel near-infrared (SKNIR) sorting (Tønning et al), 706
Freezable water, effect of additives in masa (Lucius et al), 350
Freeze-drying, effect on high-amylose maize starches (Ozturk et al), 503
Freezing, ultrasound-assisted, effect on physical and structural properties of glutens (Song et al), 333
Fructose, functional properties in sugar-snap and wire-cut cookies (Kweon et al), 425
Fungi, concentrations of metabolites produced in spring spelt grain (Wiwart et al), 52, *486*

Germination, ethanol fermentation from high-tannin sorghum and (Yan et al), 597
Germplasm Enhancement of Maize (GEM) Project, wet-milling of different lines (Taboada-Gaytan et al), 204
Glass transition temperature, salt and color development of cereal model systems and (Moreau et al), 232
Gliadins
—effect of microbial transglutaminase on hard, soft, and durum wheat cultivars (Medina-Rodríguez et al), 127
—estimating variation of in USDA oriental wheat collection using capillary zone electrophoresis (Piergiovanni), 37
Globulins
—7s from cowpea vicilins (Zhang et al), 261
—effect of microbial transglutaminase on hard, soft, and durum wheat cultivars (Medina-Rodríguez et al), 127
β-Glucan
—calcofluor fluorescence microplate assay (Schmitt and Budde), 33, (Schmitt and Wise), 187
—extraction from oat bran on laboratory scale (Immerstrand et al), 601
—in naked barley, measuring using different NIR instruments (Schmidt et al), 398
—levels and molecular weight in cereal-based products (Tiwari and Cummins), 290
—recovery from hulless barley (Gao et al), 157
Glucose, functional properties in sugar-snap and wire-cut cookie baking (Kweon et al), 425
Gluten-free foods, buckwheat flour properties (Inglett et al), 1
Glutenins. *See also* High molecular weight glutenin subunits (HMW-GS); Low molecular weight glutenin subunits (LMW-GS)
—from *Aegilops searsii*, quality of hexaploid wheat and (Garg et al), 26
—cookie baking properties of soft wheat cultivars (Hadi Nezhad and Butler), 339
—effect of microbial transglutaminase on hard, soft, and durum wheat cultivars (Medina-Rodríguez et al), 127
—effect of molecular weight distribution on rheological and breadmaking properties of flour (Wang and Khan), 623
—viscoelastic properties of intact wheat kernel; functional properties of wheat dough (Figueroa et al), 139
Glutens
—buckwheat flour properties (Inglett et al), 1
—effect in white salted noodles (Park and Baik), 646
—effect of chlorination, extraction rate, and particle size reduction (Kweon et al), 221
—structural and physical changes in ultrasound-assisted food freezing (Song et al), 333
Glycemic index (GI)
—pearling and cooking of barley cultivars and (Gray et al), 669
—presoaking of brown rice kernels and (Han and Lim), 100, *247*
Glycerol, extrusion and characterization of starch films (Pushpadass et al), 44
Grain filling, effect of extreme temperature on wheat quality (Labuschagne et al), 61
Grain quality, effect of different water regimes (Dai et al), 82
Grains, properties of chalky rice mutants (Ashida et al), 225
Granular starch hydrolyzing enzymes (GSHE), effects of protease and urea on (Wang et al), 319
Gravimetric method, measurement of ethanol yield (Lemuz et al), 355
Groat proportion, relationship to oat test weight (Doehlert et al), 239
Guar gums
—characterization of water state in masa (Lucius et al), 350
—water absorption of wheat flour, farinograph and textural characteristics of dough (Linlaud et al), 376

Heat treatment, effect on high-amylose maize starches (Ozturk et al), 503
Hexaploid wheat, *Aeglops searsii* and HMW-GS (Garg et al), 26
High molecular weight glutenin subunits (HMW-GS)
—from extra-strong wheat flour, effect on rheological and breadmaking properties (Wang and Khan), 623
—viscoelastic properties of intact wheat kernel, functional properties of wheat dough and (Figueroa et al), 139
High-methoxyl pectin, water absorption of wheat flour, farinograph and textural characteristics of dough (Linlaud et al), 376
High-speed counter-current chromatography (HSCCC), preparation of sesamin and sesamolin (Wang et al), 18
High-throughput near-infrared reflectance spectroscopy, prediction of composition phenotypes of individual maize kernels (Spielbauer et al), 556
HPLC (high performance liquid chromatography). *See also* Size-exclusion HPLC
—measurement of ethanol yield using (Lemuz et al), 355
Hulless barley, high-purity starch isolates (Gao et al), 157
Hydrocolloids, water absorption of wheat flour, farinograph and textural characteristics of dough (Linlaud et al), 376

Jet cooking
—of buckwheat flours, rheological and pasting properties (Inglett et al), 1
—of high-amylose corn starch (Byars et al), 76

In vitro models, for assessment of potential antioxidant activity of γ-oryzanol in rice bran (Huang et al), 679
Indica rice, effect of fermentation on noodle texture (Lu et al), 70
Infratec 1241 grain analyzer, measuring β-glucan in naked barley (Schmidt et al), 398
Insects
—detection of damage in wheat kernels using NIR hyperspectral imaging (Singh et al), 256
—effect of damage on milling properties and semolina quality of durum wheats (Koksel et al), 181
Instant flour, nixtamalized from corn meal (Cuevas-Rodríguez et al), 7
Iodine binding methods, measurement of amylose (Fitzgerald et al), 492, *714*
Iron, in foods prepared with fortified flours (Rezende Boen and Pallone), 695
Irrigation, starch granule size from wheat cultivars (Dai et al), 82

Kafirins, characterizing in Algerian sorghum cultivars (Mokrane et al), 487
Kansui, stress relaxation parameters of yellow alkaline noodles and (Hatcher et al), 361

Lactic acid, evaluation of sorghum production of using capillary electrophoresis (Schober et al), 117
Lignans, prepared by high-speed counter-current chromatography (Wang et al), 18
Lipids, from wheat whole meal, flour, and starch (Finnie et al), 637

Load-compression tests, influence of low molecular weight glutenins on kernels and dough (Maucher et al), 372
Locust bean gum, water absorption of wheat flour, farinograph and textural characteristics of dough (Linlaud et al), 376
Low molecular weight glutenin subunits (LMW-GS)
—from extra-strong wheat flour, effect on rheological and breadmaking properties (Wang and Khan), 623
—viscoelastic properties of intact wheat kernel, functional properties of wheat dough (Figueroa et al), 139, (Maucher et al), 372
Lymphatic endothelial cell model, for assessment of potential antioxidant activity of γ-oryzanol in rice bran (Huang et al), 679
Lysophosphatidylcholine, from wheat whole meal, flour, and starch (Finnie et al), 637

Macaroni, folic acid, iron, and zinc in fortified flours (Rezende Boen and Pallone), 695
Maillard reaction, salt and color development of cereal model systems and (Moreau et al), 232
Malting, β-glucan measurement by calcofluor fluorescence microplate assay and (Schmitt and Budde), 33
Malts, qualitative zymographic studies of sorghum (Mokhawa et al), 575
Masa
—effect of additives on water state (Lucius et al), 350
—from nixtamalized instant corn meal flour (Cuevas-Rodríguez et al), 7
McGill #2 laboratory mills, comparing commercial milling systems (Graves et al), 470
Microbial transglutaminase (MTGase), effect on dough proteins from wheat (Medina-Rodríguez et al), 127
Microplate assays
—for barley and oat β-glucan (Schmitt and Wise), 187
—for wort β-glucan in microplate format (Schmitt and Budde), 157
Microwave irradiation, total phenolics and antioxidant activity of water and ethanolic extracts of DDGS (Inglett et al), 661
Midge damage, detection in wheat kernels using NIR hyperspectral imaging (Singh et al), 256
Milling properties. *See also* Wet milling
—comparison of McGill #2 laboratory mill to commercial milling processes (Graves et al), 470
—effect of enzymatic tempering (Yoo et al), 122
—effect of sieve tension (Miller and Gwirtz), 665
—effect of suni bug damage (Koksel et al), 181
Mixographs, for flour and gluten functionality (Kweon et al), 221
Mixolab, for quality evaluation of bread wheat genotypes (Koksel et al), 522
Monogalactosyldiglycerols, from wheat whole meal, flour, and starch (Finnie et al), 637
Mouse endothelial cell model, for assessment of potential antioxidant activity of γ-oryzanol in rice bran (Huang et al), 679
Mycotoxins, *Fusarium* spp. in spring spelt grain (Wiwart et al), 52, *486*

Narrow bore columns, size-exclusion HPLC of protein using (Ohm et al), 463
Near-infrared hyperspectral imaging, detection of sprouted and midge-damaged wheat kernels using (Singh et al), 256
Near-infrared reflectance (NIR) spectroscopy
—measuring β-glucan content using different instruments (Schmidt et al), 398
—prediction of composition phenotypes of individual maize kernels (Spielbauer et al), 556
—prediction of solid loss, volumetric expansion, and water uptake of cooked rice using (Cho et al), 113
—selecting and sorting waxy wheat kernels using (Dowell et al), 251
Nitrogen
—in rice grains, influence on flavor of stored sake (Okuda et al), 534
—nutrition, impact on cooked rice flavor and texture (Champagne et al), 274
Nixtamalization
—effect of temperature and steeping time on calcium and phosphorus content in corn flours (Rojas-Molina et al), 516
—instant flour from corn meal (Cuevas-Rodríguez et al), 7
Noodles
—durum wheat, effect of genotype and environment on quality of (Hatcher et al), 452
—effect of added gluten on (Park and Baik), 646
—effect of flour extraction rate, added water, and salt on color and texture of (Ye et al), 477
—factors affecting uniaxial stress relaxation parameters of (Hatcher et al), 361
—natural fermentation of whole polished rice grains and (Lu et al), 70
—refrigerated storage of (Hatcher et al), 106

Oats
—bran, extraction of β-glucan from (Immerstrand et al), 601
—calcofluor fluorescence assay for β-glucan (Schmitt and Wise), 187
—effect of modified starch and protein on batter properties and cake quality (Mirmoghtadaie et al), 685
—effect of rotor speed, genotype, and environment on dehulling (Doehlert et al), 653
—extraction of β-glucan (Immerstrand et al), 601
—relationship between test weight and groat proportion (Doehlert et al), 239
γ-Oryzanol, potential antioxidant activity of in rice bran (Huang et al), 679
Oxidation, gelation of solvent-accessible arabinoxylans (Kweon et al), 421

Paddy, effect of storage temperature on consumer perception of cooked rice (Jang et al), 549
Pan distillers dried grains with solubles, Elusieve process and (Srinivasan et al), 393
Paprika, effect of powder on breadmaking properties (Seguchi et al), 633
Particle size
—effect on quality of flour tortillas enriched with whole grain waxy barley (Prasopsunwattana et al), 439
—flour and gluten functionality (Kweon et al), 221
—stress relaxation parameters of yellow alkaline noodles (Hatcher et al), 361
Passion fruit fiber, effect of extrusion variables on residual quantity of cyanogenic compounds in cereal containing (Vernaza et al), 302
Pasting properties, of jet-cooked buckwheat flours (Inglett et al), 1
Pearling, carbohydrate composition and digestion in vitro of selected barley cultivars (Gray et al), 669
Pectins, water absorption of wheat flour, farinograph and textural characteristics of dough (Linlaud et al), 376
Pelleting characteristics, effect of fractionation of DDGS (Srinivasan et al), 393
Percent stress relaxation, factors affecting yellow alkaline noodles (Hatcher et al), 361
Phenolics
—of water and ethanolic extracts from DDGS with or without microwave irradiation (Inglett et al), 661
—quantitative trait loci in rice grain (Jin et al), 609
—sorghum cookies and (Chiremba et al), 590
Phosphatidylcholine, from wheat whole meal, flour, and starch (Finnie et al), 637
Phosphorus, effect of temperature and steeping time on content of nixtamalized corn flours (Rojas-Molina et al), 516
Phytochemicals, quantitative trait loci in rice grain (Jin et al), 609
Phytosterols, variations due to genotype and environment (Chen et al), 96
Pimento, effect of powder on breadmaking properties (Seguchi et al), 633
Pizza, folic acid, iron, and zinc from fortified flours (Rezende Boen and Pallone), 695
Plasticizers
—color development of cereal model systems (Moreau et al), 232
—extrusion and characterization of starch films (Pushpadass et al), 44
Polyphenol oxidase (PPO), tempering condition, milling performance, and flour functionality (Kweon et al), 12
Porridges, sorghum, condensed tannins (Dlamini et al), 191
Postharvest yellowing, in southern U.S. rice cultivars (Belefant-Miller), 67
Presoaking, effect on cooked brown rice properties (Han and Lim), 100, *247*
Prolamins, in Algerian sorghum cultivars (Mokrane et al), 487
Proteases
—ethanol fermentation in modified dry grind corn process (Vidal et al), 323
—granular starch hydrolysis for corn ethanol production and (Wang et al), 319
—qualitative zymographic studies from malted sorghum (Mokhawa et al), 575
Proteins
—effect of different water regimes on (Dai et al), 82
—effect of microbial transglutaminase from hard, soft, and durum wheat cultivars (Medina-Rodríguez et al), 127
—extraction from winter wheat whole grains (Szulc and Maquet), 692
—impact on cooked rice flavor and texture (Champagne et al), 274
—oats, batter properties and cake quality (Mirmoghtadaie et al), 685
—relationship of size-exclusion HPLC to quality characteristics (Ohm et al), 197
—rice, influenceon flavor of stored sake (Okuda et al), 534
—size-exclusion HPLC of breadmaking quality of flours (Ohm et al), 463
Proteomics, analysis of embryo in germinating wheat (Mak et al), 281
Pseudocereals
—breadmaking from (Rosell et al), 386
—effect of baking on vitamin E content (Alvarez-Jubete et al), 511
Pup-loaf bread, wheat starch phosphate and (Yeo and Seib), 210

Quantitative trait loci (QTL), for color, phenolics, flavonoid contents, and antioxidant capacity in brown rice (Jin et al), 609
Quinoa
—breadmaking use (Rosell et al), 386
—effect of baking on vitamin E content (Alvarez-Jubete et al), 511

Rapid visco analysis (RVA)
—effects of fermentation on noodle texture (Lu et al), 70
—sugar functionality in cookie baking (Kweon et al), 425
Reconstitution studies, glutenin protein molecular weight distribution on rheological and breadmaking properties of flour (Wang and Khan), 623
Relaxation, factors affecting yellow alkaline noodles (Hatcher et al), 361
Resistant starch (RS)
—characterization of two high-amylose maize starch samples (Ozturk et al), 503
—in barley cultivars with pearling and cooking (Gray et al), 669
—presoaked brown rice kernels (Han and Lim), 100, *247*
—white pan bread, sugar-snap cookies and (Yeo and Seib), 210
Response surface methodology (RSM)
—enzymatic tempering, milling and baking performance (Yoo et al), 122
—nixtamalized instant flour from corn meal (Cuevas-Rodríguez et al), 7
Rheology
—analysis of fermentation and noodle texture (Lu et al), 70
—cookie development during baking (Hadi Nezhad and Butler), 339
—effect of hydrocolloids on water absorption (Linlaud et al), 376
—glutenin protein molecular weight distribution (Wang and Khan), 623
—jet-cooked buckwheat flours and (Inglett et al), 1
Rice
—comparison of milling systems (Graves et al), 470
—cooking and textural properties of cultivars (Lucisano et al), 542
—cultural management practices and grain quality (Bryant et al), 405
—effect of presoaking on properties (Han and Lim), 100, *247*
—impact of nitrogen nutrition on flavor and texture (Champagne et al), 274
—induced postharvest yellowing (Belefant-Miller), 67
—measuring amylose in (Fitzgerald et al), 492, *714*
—paddy storage temperature and consumer perception of (Jang et al), 549
—sulfur and nitrogen content on flavor in stored sake (Okuda et al), 534
—natural fermentation of whole polished grains (Lu et al), 70
—near-infrared spectroscopy for predicting solid loss, volumetric expansion, and water uptake in during cooking (Cho et al), 113
—properties of chalky mutants in grain and flour (Ashida et al), 225
—quantitative trait loci for color, phenolics, flavonoid contents, and antioxidant capacity (Jin et al), 609
Rice bran, potential antioxidant activity of γ-oryzanol (Huang et al), 679
Rotor speed, effect on oat dehulling (Doehlert et al), 653

Sake, influence of sulfur and nitrogen content of rice grains on flavor (Okuda et al), 534
Salts
—color development of cereal model systems (Moreau et al), 232
—effect on color and texture of Chinese white noodles (Ye et al), 477
Semolina, effect of suni bug damage on (Koksel et al), 181
Sensory analysis, of chocolate chip cookies (Omary et al), 565
Sesame seeds, preparation of sesamin and sesamolin by high-speed countercurrent chromatography (Wang et al), 18
Shear-thinning, jet cooking of buckwheat flours and (Inglett et al), 1
Sieve tension, effect of in Quadrumat Senior laboratory milling (Miller and Gwirtz), 665
Single-kernel near-infrared (SKNIR) sorting, of wheat, bulk functionality diversification by (Tønning et al), 706
Size-exclusion HPLC
—characterization of sorghum tannins using (Kaufman et al), 369
—analysis of effects of solubilization on molecular weights of amylose and amylopectins of normal maize and barley starches (Bello-Pérez et al), 701
—of protein extract, quality characteristics (Ohm et al), 197
—of protein for evaluation of breadmaking quality using hard spring wheat flours (Ohm et al), 463
Sodium chloride, color development of cereal model systems and (Moreau et al), 232
Sodium hydroxide, and stress relaxation parameters of yellow alkaline noodles (Hatcher et al), 361
Solids, predicting loss in cooked rice using near-infrared spectroscopy (Cho et al), 113
Solubilization, effects on molecular weights of amylose and amylopectins of normal maize and barley starches (Bello-Pérez et al), 701
Solvent retention capacity (SRC)
—chlorination of soft wheat flour, oxidative gelation of arabinoxylans and (Kweon et al), 421
—flour and gluten functionality (Kweon et al), 221
—reduced amylose wheat and (Nishio et al), 313
—sugar functionality in cookie baking and (Kweon et al), 425
—tempering condition, milling performance, flour functionality (Kweon et al), 12
Sorghum
—characterization of kafirins in Algerian cultivars (Mokrane et al), 487
—characterization of tannins using size-exclusion chromatography (Kaufman et al), 369
—condensed tannins in porridges (Dlamini et al), 191
—cookies from, phenolic content, antioxidant activity, and consumer acceptability of (Chiremba et al), 590
—evaluation of lactic acid production using capillary electrophoresis (Schober et al), 117
—germination-improved ethanol fermentation performance from high-tannin cultivars (Yan et al), 597
—malted, qualitative zymographic studies (Mokhawa et al), 575
Sorting
—automated, of wheat kernels (Dowell et al), 251
—of heterogenous bulk wheat by single-kernel near-infrared (SKNIR) sorting (Tønning et al), 706
—single-kernel, for selection of quality traits in wheat breeding lines (Dowell et al), 527
Spaghetti, measuring specks using automated imaging system (Symons), 164
Spelt grain, concentrations of fungal metabolites produced in (Wiwart et al), 52, *486*
Spherulites, formation from jet-cooked corn starch (Byars et al), 76
Sponge cake, amylose content, solvent retention capacities in wheat flour and (Nishio et al), 313
Sprouting, detection in wheat kernels using NIR hyperspectral imaging (Singh et al), 256
Staining, of distillers dried grains with solubles (Bhadra et al), 410
Standard methods, need for amylose measurement in rice (Fitzgerald et al), 492, *714*
Starch films, extrusion and characterization (Pushpadass et al), 44
Starches. *See also* Corn starch; Resistant starch
—cross-linked resistant, white pan bread, sugar-snap cookies (Yeo and Seib), 210
—damage, impact on stress relaxation parameters of yellow alkaline noodles (Hatcher et al), 361
—effect of water regimes on granule size distribution (Dai et al), 82
—films, extrusion and characterization (Pushpadass et al), 44
—maize and barley, solubilization effects on molecular weights of amylose and amylopectins (Bello-Pérez et al), 701
—modified oat, effect on batter properties and cake quality (Mirmoghtadaie et al), 685
—recovery from hulless barley (Gao et al), 157
—wheat, characterization of polar lipids (Finnie et al), 637
Stearic acid, extrusion and characterization of starch films (Pushpadass et al), 44
Steeping time, effect on calcium and phosphorus content of nixtamalized corn flours (Rojas-Molina et al), 516
Storage temperature, for paddy, effect on consumer perception of cooked rice (Jang et al), 549
Succinylation, of oat protein, effect on batter properties and cake quality (Mirmoghtadaie et al), 685
Sucrose, sugar functionality in cookie baking (Kweon et al), 425
Sugar snap cookies
—amylose content, solvent retention capacities in wheat flour and (Nishio et al), 313
—sugar functionality in baking of (Kweon et al), 425
—wheat starch phosphate and (Yeo and Seib), 210
Sulfur, in rice grains, influence of on flavor of stored sake (Okuda et al), 534
Suni bugs, effect of damage on milling properties and semolina quality of durum wheats (Koksel et al), 181
Surface properties, of distillers dried grains with solubles (Bhadra et al), 410
SVEC-10 cell model, for assessment of potential antioxidant activity of γ-oryzanol in rice bran (Huang et al), 679

Tannic acid, as dough oxidizing and vitamin C protective agent (Mendes da Silva et al), 136
Tannins
—effect of germination on ethanol fermentation performance (Yan et al), 597
—from sorghum, characterized using size-exclusion chromatography (Kaufman et al), 369
—in sorghum porridges (Dlamini et al), 191
Temperature
—during grain filling, and variation in wheat quality characteristics (Labuschagne et al), 61
—effect on calcium and phosphorus content of nixtamalized corn flours (Rojas-Molina et al), 516
—of paddy storage, effect on consumer perception of cooked rice (Jang et al), 549
Tempering
—enzymatic, effect on milling and baking performance (Yoo et al), 122
—milling performance, flour functionality and (Kweon et al), 12
—single-stage, yield and composition of dry-milled corn (Rausch et al), 434

Tensile strength, nixtamalized instant corn meal flour (Cuevas-Rodríguez et al), 7
Test weight, relationship to oat groat proportion (Doehlert et al), 239
Texture
—effect of hydrocolloids on water absorption and (Linlaud et al), 376
—of traditional and aromatic rice cultivars (Lucisano et al), 542
Thermal analyses, effects of fermentation on noodle texture (Lu et al), 70
Thermal decomposition of corn starch with different amylose/amylopectin ratios (Liu et al), 383
Tillage systems, effect on rice grain quality (Bryant et al), 405
Tocols, in commercial wheat mill streams (Engelsen and Hansen), 499
Tocopherols
—in amaranth, quinoa, and buckwheat (Alvarez-Jubete et al), 511
—in commercial wheat mill streams (Engelsen and Hansen), 499
—potential antioxidant activity in rice bran (Huang et al), 679
Tocotrienols
—in amaranth, quinoa, and buckwheat (Alvarez-Jubete et al), 511
—in commercial wheat mill streams (Engelsen and Hansen), 499
Tomapi, effect of powder on breadmaking properties (Seguchi et al), 633
Tortillas
—characterization of water state in masa with additives (Lucius et al), 350
—enriched with whole grain waxy barley, particle size effects on (Prasopsunwattana et al), 439
—nixtamalized instant corn meal flour (Cuevas-Rodríguez et al), 7
Total protein content, size-exclusion HPLC for evaluating breadmaking quality of flours (Ohm et al), 463
Transglutaminase (TG)
—effect on dough proteins from wheat (Medina-Rodríguez et al), 127
—ferulic acid, flours and (Koh and Ng), 18
Trichodiene, production by *Fusarium* spp. in spring spelt grain (Wiwart et al), 52, *486*
Two-dimensional fluorescence difference gel electrophoresis (2D DIGE), analysis of proteins extracted from winter wheat whole grain (Szulc and Maquet), 692

Ultrasound-assisted freezing, physical and structural properties of glutens (Song et al), 333
Unfreezable water, effect of additives in masa (Lucius et al), 350
Uniaxial stress relaxation parameters, factors affecting yellow alkaline noodles (Hatcher et al), 361
Ureas, in granular starch hydrolysis for corn ethanol production (Wang et al), 319

Viscoelasticity
—analysis of effects of fermentation on noodle texture (Lu et al), 70
—effect of glutenin subunits in wheat dough (Figueroa et al), 139
—influence of low molecular weight glutenins on (Maucher et al), 372
—jet-cooked buckwheat flours (Inglett et al), 1
Vitamin C
—tannic acid for protection in dough (Mendes da Silva et al), 136
Vitamin E
—effect on amaranth, quinoa, and buckwheat (Alvarez-Jubete et al), 511
—in commercial wheat mill streams (Engelsen and Hansen), 499

Water
—effect of presoaking cooked brown rice (Han and Lim), 100, *247*
—effect on color and texture of Chinese white noodles (Ye et al), 477
—extrusion and characterization of starch films (Pushpadass et al), 44
Water holding capacity
—effect of additives in masa (Lucius et al), 350
—in wheat flour, effect of hydrocolloids (Linlaud et al), 376
—predicting in cooked rice using near-infrared spectroscopy (Cho et al), 113
—salt and color development of cereal model systems (Moreau et al), 232
Wheat. *See also* Durum wheat
—amylose content of, cookie and sponge cake quality and (Nishio et al), 313
—automated single-kernel sorting (Dowell et al), 527
—characterization of polar lipids from whole meal, flour, and starch (Finnie et al), 637
—concentrations of fungal metabolites (Wiwart et al), 52, *486*
—detection of sprouted and midge-damaged kernels using NIR hyperspectral imaging (Singh et al), 256
—effect of flour type and dough rheology on cookie baking properties (Hadi Nezhad and Butler), 339
—effect of genotype and environment on phytosterols (Chen et al), 96
—effect of glutenin subunits on viscoelasticity of dough (Figueroa et al), 139
—effect of microbial TG on dough proteins (Medina-Rodríguez et al), 127
—estimating gliadin and albumin variation using CZE (Piergiovanni), 37
—evaluating dough properties by modified extensigraph method (Chen et al), 582
—germination of, functional proteomics analysis of embryo (Mak et al), 281
—grain ash content, genotype and environment (Morris et al), 307
—hexaploid, glutenin subunits from *Aegilops searsii* and (Garg et al), 26
—in vitro bile-acid-binding of whole vs. pearled grain (Kahlon et al), 329
—influence of low molecular weight glutenins on kernels and dough (Maucher et al), 372
—kernels, automated sorting for selection of quality traits (Dowell et al), 527
—Mixolab, quality evaluation of (Köksel et al), 522
—protocol for extracting proteins from whole grain (Szulc and Maquet), 692
—relationship of protein extract size-exclusion HPLC with quality characteristics (Ohm et al), 197
—selecting and sorting kernels using NIR spectroscopy (Dowell et al), 251
—single-kernel near-infrared (SKNIR) sorting (Tønning et al), 706
—size-exclusion HPLC of protein for evaluating breadmaking quality (Ohm et al), 463
—starch granule size distribution under different water regimes (Dai et al), 82
—tocopherols, tocotrienols in commercial streams (Engelsen and Hansen), 499
—variation in arabinoxylans, environment and genotype (Li et al), 88
—waxy vs. nonwaxy in fuel ethanol fermentation (Zhao et al), 145
White pan bread, wheat starch phosphate and (Yeo and Seib), 210
White salted noodles, effect of added gluten (Park and Baik), 646
Wire-cut cookies, sugar functionality during baking (Kweon et al), 425
Wort, measuring β-glucan by calcofluor fluorescence microplate assay (Schmitt and Budde), 33

Xanthan gum, water absorption of wheat flour, farinograph and textural characteristics of dough (Linlaud et al), 376
Xyloses, functional properties in cookie baking (Kweon et al), 425

Yellow alkaline noodles
—factors affecting uniaxial stress relaxation parameters (Hatcher et al), 361
—effect of durum wheat genotype and environment on quality (Hatcher et al), 452
—refrigerated storage (Hatcher et al), 106

Zinc, in foods prepared with fortified flours (Rezende Boen and Pallone), 695
Zymographic studies, of proteinases from malted sorghum (Mokhawa et al), 575